E

F

100%

Critical Dimensions to be inspected 100%.

Critical Dimensions.

<SPC> Critical Dimensions.
To determine Cmk & Cpk.

UNLESS OTHERWISE SPECIFIED :
DIMENSIONS ARE IN MILLIMETERS

TOLERANCES:
ISO 2768-1 m (mittel)
ISO 2768-2 K

ORDER / ARTICLE NO. See Table

RoHS compliant acc. to directive 2011/65/EU

Specification/Drawing subject to alteration without prior notice.

The information contained in this drawing is the sole property of YAMAICHI ELECTRONICS DEUTSCHLAND GMBH.
Any reproduction in part or whole without the written permission of YAMAICHI ELECTRONICS DEUTSCHLAND GMBH
is prohibited.

△	REVISION DESCRIPTION	ID	REV. DATE
O	Updated DRW	SSY	04.10.2018
N	Temperature spec update	NS	10.10.2016
M	packaging updated	NS	01.06.2016
L	Trafo type updated	NS	25.11.2015



Description:	Ethernet jack, 90°, 8(8)+2/0
--------------	------------------------------

Purchase No.:	Y-CONJACK-7X
---------------	--------------

Drawing No.:	Customer-P1964A34
--------------	-------------------

REVISION

C

WEIGHT:

SUBREV03

T153





04.03.2024

SCALE: 3:1

SHEET 1 OF 4

DIN A3 - ASSEMBLY

B
5 : 1



VERSION W/O POWER CONTACTS
SEE PAGE 7 FOR REFERENCE

100%	Critical Dimensions to be inspected 100%.
	Critical Dimensions.
<SPC>	Critical Dimensions. To determine Cmk & Cpk.

Customer Drawing

Specification/Drawing subject to alteration without prior notice.

The information contained in this drawing is the sole property of YAMAICHI ELECTRONICS DEUTSCHLAND GMBH. Any reproduction in part or whole without the written permission of YAMAICHI ELECTRONICS DEUTSCHLAND GMBH is prohibited.

UNLESS OTHERWISE SPECIFIED :
DIMENSIONS ARE IN MILLIMETERS

TOLERANCES:
ISO 2768-1 m (mittel)
ISO 2768-2 K

ORDER / ARTICLE NO. See Table

△	REVISION DESCRIPTION	ID	REV. DATE
O	Updated DRW	SSY	04.10.2018
N	Temperature spec update	NS	10.10.2016
M	packaging updated	NS	01.06.2016
L	Trafo type updated	NS	25.11.2015

DO NOT SCALE DRAWING

Description:	Ethernet jack, 90°, 8(8)+2/0
--------------	------------------------------

ANGLE PROJECTION:

	ID	DATE
CREATED	NS	17.01.2014
MODIFIED	SSY	04.10.2018
RELEASED	RA	04.10.2018

	Purchase No.:
--	---------------

Y-CONJACK-7X

	Drawing No.:

Customer-P1964A34

REVISION:

0

WEIGHT:

SUBREV 03

T153

	04.03.2024
--	------------

SCALE: 3:1

SHEET 2 OF 4

DIN A3 - ASSEMBLY

Types of Y-ConJacks

X: with component
---: without component

100%		Critical Dimensions to be inspected 100%.	
		Critical Dimensions.	
<SPC>		Critical Dimensions. To determine Crnk & Cpk.	
UNLESS OTHERWISE SPECIFIED : DIMENSIONS ARE IN MILLIMETERS			
TOLERANCES: ISO 2768-1 m (mittel) ISO 2768-2 K			
ORDER / ARTICLE NO. See Table			
ANGLE PROJECTION: FIRST			
WEIGHT:			

CONFIDENTIAL			Customer Drawing		
RoHS compliant acc. to directive 2011/65/EU			Specification/Drawing subject to alteration without prior notice.		
The information contained in this drawing is the sole property of YAMAICHI ELECTRONICS DEUTSCHLAND GMBH. Any reproduction in part or whole without the written permission of YAMAICHI ELECTRONICS DEUTSCHLAND GMBH is prohibited.					
△		REVISION DESCRIPTION		ID	REV. DATE
O		Updated DRW		SSY	04.10.2018
N		Temperature spec update		NS	10.10.2016
M		packaging updated		NS	01.06.2016
L		Trafo type updated		NS	25.11.2015
DO NOT SCALE DRAWING			Description:		
			Ethernet jack, 90°, 8(8)+2/0		
			Purchase No.:		
			Y-CONJACK-7X		
			Drawing No.:		
			Customer-P1964A34		
			REVISION:		
			O		
SCALE: 2:1			SHEET 4 OF 4		DIN A3 - ASSEMBLY